



OBJT2.E315265

Single- and Multi-layer Insulated Winding Wire - Component

Page Bottom

Single- and Multi-layer Insulated Winding Wire - Component

[See General Information for Single- and Multi-layer Insulated Winding Wire - Component](#)**E&B TECHNOLOGY CO LTD**

E315265

YI HENG LU


HENGJIA

SHJIE TOWN

DONGGUAN, GUANGDONG CHINA

Cat. No. E&B-XXXB, reinforced insulation, rated 130°C (Class B), 1000 kV peak for Information Technology Equipment, 18-32 AWG (1.0 - 0.20 mm).

Cat. No. E&B-XXXB-1, supplementary insulation, rated 130°C (Class B), 1000 kV peak for Information Technology Equipment, 18-32 AWG (1.0 - 0.20 mm).

Marking: Company name and material designation on the smallest unit container in which the product is packaged, spool, or on a tag attached to the end of the wire, and the Recognized Component Mark .

Last Updated on 2008-02-14

[Questions?](#)[Notice of Disclaimer](#)[Page Top](#)

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

